


Model: PLD-MO96
Glass Pendant System Socket

WAC LIGHTING
Responsible Lighting®



Fixture Type:

Catalog Number:

Project: _____

Location: _____

PRODUCT DESCRIPTION

Compact Fluorescent (CFL) pendant socket for use with selected shades. Designed for flat ceilings.

FEATURES

- 96" socket set with 4 1/2" canopy
- Uses A19 / G30 lamp
- Glass shade is ordered as a separate line item and installed in the field
- 8' long socket set cable allows easy filed cutting to desired drop length
- 5 year WAC product warranty

SPECIFICATIONS

Lamp: Uses one A or G30 Lamp, 100W max. Order lamp separately.

Materials: Plated steel canopy. Die-cast aluminum and plated socket housing. Three pin supports may be detached to allow additional shade styles.

Standards: UL and CUL Listed.

ORDER NUMBER

Model #	Finish
PLD-MO96	BK Black
	BN Brushed Nicke
	WT White

PLD-MO96 -

Example: **PLD-MO96-BK**


WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585

Model: HM1-SOC-96
Glass Pendant System Socket

WAC LIGHTING
Responsible Lighting®



Fixture Type:

Catalog Number:

Project: _____

Location: _____

PRODUCT DESCRIPTION

Compact Fluorescent (CFL) pendant socket for use with selected shades. Designed for flat ceilings. Used on Flexrail™ track.

FEATURES

- 96" socket set with 4 1/2" canopy
- Uses A19 / G30 lamp
- Glass shade is ordered as a separate line item and installed in the field
- 8' long socket set cable allows easy filed cutting to desired drop length
- 5 year WAC product warranty

SPECIFICATIONS

Lamp: Uses one A or G30 Lamp, 100W max. Order lamp separately.

Materials: Track adaptor is polycarbonate. Die-cast aluminum and painted socket housing. Three pin supports may be detached to allow additional shade styles.

Standards: UL and CUL Listed.

ORDER NUMBER

Model #	Finish
HM1-SOC-96	DB Dark Bronze
	PT Platinum

HM1-SOC-96 -

Example: **HM1-SOC-96-PT**

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585


Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585

L, H, J 120V Track

Glass Pendant System Socket

WAC LIGHTING
Responsible Lighting®



Fixture Type:

Catalog Number:

Project: _____

Location: _____

PRODUCT DESCRIPTION

Compact Fluorescent (CFL) pendant socket for use with selected shades. Designed for flat ceilings.

FEATURES

- 96" socket set with 4 1/2" canopy
- Uses A19 / G30 lamp
- Glass shade is ordered as a separate line item and installed in the field
- 8' long socket set cable allows easy filed cutting to desired drop length
- 5 year WAC product warranty

SPECIFICATIONS


Lamp: Uses one A or G30 Lamp, 100W max. Order lamp separately.

Materials: Track adaptor is polycarbonate. Die-cast aluminum and painted socket housing. Three pin supports may be detached to allow additional shade styles.

Standards: UL and CUL Listed.

ORDER NUMBER

Model #	Track	Finish
PLD-HTK96	<i>H Track</i>	BK <i>Black</i>
PLD-LTK96	<i>L Track</i>	BN <i>Brushed Nicke</i>
PLD-JTK96	<i>J Track</i>	WT <i>White</i>



Example: **PLD-HTK96-BK**

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center
44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center
1750 Archibald Avenue • Ontario, CA 91760
Phone (800) 526.2588 • Fax (800) 526.2585