


**BRITTANY**– model: G333  
European Collection Glass Pendant

**WAC LIGHTING**  
Responsible Lighting®



Fixture Type:

Catalog Number:

Project: \_\_\_\_\_

Location: \_\_\_\_\_

**PRODUCT DESCRIPTION**

Skillfully crafted in a stunning glass art form, Brittany's layers of classic Italian opaline glass blossom into a dramatic opalescent flower. Gorgeous hues of amber, gold and milky blue come alive, defining depth and details when illuminated.

**FEATURES**

- LED, Low Voltage and Line Voltage options available
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- 5 year WAC Lighting product warranty
- UL & CUL Listed

**CONSTRUCTION**

- **Shade:** Opaline art glass
- **LED Socket Set:** Aluminum w/acrylic diffuser
- **Low and Line Voltage Socket Set:** Machined aluminum w/frosted glass shield
- **MP Canopy:** Steel
- **Adapters – Solorail™, Duorail™:** Copper
- **Adapters – 120V Track, Flexrail1™:** Polycarbonate

**COMPATIBLE SYSTEMS**

**Canopy (MP)**

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp



The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

*Sold as a complete unit with a single Order Number, no adapters needed.*

**Quick Connect™ (QP)**

LED or Low Voltage halogen lamp options

Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp



For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

*Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.*

**Line Voltage Rail and Track**

Line Voltage xenon lamp

Includes:

- Shade
- Adapter to Rail or Track
- Socket Set
- Lamp

For use with 120V H, L and J single circuit track and J2 two circuit track systems and Flexrail1™ rail systems.

*Sold as a complete unit with a single Order Number, adapter included.*

**For Lamp Specifications and Ordering Information see next page.**

**WAC Lighting**  
www.waclighting.com  
Phone (800) 526.2588 • Fax (800) 526.2585

**Headquarters/Eastern Distribution Center**  
615 South Street • Garden City, NY 11530  
Phone (516) 515.5000 • Fax (516) 515.5050

**Western Distribution Center**  
1750 Archibald Avenue • Ontario, CA 91760  
Phone (800) 526.2588 • Fax (800) 526.2585

# BRITTANY- model: G333

## European Collection Glass Pendant

# WAC LIGHTING

Responsible Lighting®

### SOCKET SET and LAMP INFORMATION

#### LEDme®

LED: 12V/3.7W, 165 lumens, 3000K, CRI 85 (included)

- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 50,000 hour rated life
- Energy efficient
- No projected Ultraviolet or Infrared radiation

#### Low Voltage




Lamp: 12V/50W max, halogen JC-50 (included)

- May be dimmed
- Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)

#### Line Voltage

Lamp: 120V/50W max, xenon JCD-50X (included)

- May be dimmed
- Lamp shield used to secure shade to socket
- Includes 120V, 50W halogen lamp



### ORDER NUMBER

#### LEDme®

System	Model #	Shade Color	Finish
<b>MP-LED</b> Canopy	<b>333</b>	<b>OP</b>	<b>BN</b>
<b>QP-LED</b> Quick Connect™			<b>CH</b> <b>DB</b>

Canopy (MP) models ordered as complete unit.

Quick Connect™ (QP) models must be ordered with an adapter or canopy, see next page for ordering info.

#### Low Voltage

System	Model #	Shade Color	Finish
<b>MP-</b> Canopy	<b>333</b>	<b>OP</b>	<b>BN</b>
<b>QP</b> Quick Connect™			<b>CH</b> <b>DB</b>

#### Line Voltage

System	Model #	Shade Color	Finish
<b>HM1-</b> Flexrail1™	<b>333</b>	<b>OP</b>	<b>DB</b>
<b>LTK-</b> L Track			<b>PT</b>
<b>HTK-</b> H Track			<b>BN</b>
<b>JTK-</b> J/J2 Track			<b>DB</b>

All Line Voltage models ordered as complete unit, adapter included.

System	Model #	Color	Finish
<input type="text"/>	<input type="text" value="333"/>	<input type="text" value="OP"/>	<input type="text"/>

Example: **MP-LED333-OP/BN**

### SHADE COLORS

**OP**-Opaline



### FINISHES

**BN**-Brushed Nickel



**CH**-Chrome



**DB**-Dark Bronze



**PT**-Platinum



### WAC Lighting

www.waclighting.com

Phone (800) 526.2588 • Fax (800) 526.2585

### Headquarters/Eastern Distribution Center

615 South Street • Garden City, NY 11530

Phone (516) 515.5000 • Fax (516) 515.5050

### Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760

Phone (800) 526.2588 • Fax (800) 526.2585





# BRITTANY- model: G333

## Quick Connect™ Adapters and Canopies

# WAC LIGHTING

Responsible Lighting®

### QUICK CONNECT™ ADAPTERS (order one per fixture)

Solorail™	Model #	Finish	Duorail™	Model #	Finish
	<b>LM-QADP</b>	<b>BN</b> <b>CH</b> <b>DB</b>		<b>LM2-QADP</b>	<b>BN</b> <b>CH</b> <b>DB</b>
Flexrail1™	Model #	Finish	120V Track	Model #	Finish
	<b>HM1-EN50</b>	<b>DB</b> <b>PT</b>		<b>EN-LQ50AR</b> <b>EN-HQ50AR</b> <b>EN-JQ50AR</b>	<b>BK</b> <b>BN</b> <b>DB</b> <b>WT</b>

### ORDER NUMBER




Model #  - Finish

Example: **LM-QADP-BN**

### QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER

			
Model # <b>QMP-60ERN</b>	Model # <b>QMP-G1RN</b>	Model # <b>QMP-G3RN</b>	Model # <b>QMP-G3RE</b>
Finish <b>BN</b> <b>CH</b> <b>DB</b>	Finish <b>MR</b>	Finish <b>MR</b>	Finish <b>MR</b>

### QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER

		
Model # <b>QMP-MI-TR</b>	Model # <b>QMP-1RN-TR</b>	Model # <b>QMP-1SQ-TR</b>
Finish <b>BN</b> <b>CH</b> <b>DB</b>	Finish <b>BN</b> <b>CH</b> <b>DB</b>	Finish <b>BN</b> <b>CH</b> <b>DB</b>

### ORDER NUMBER

Model #  - Finish

Example: **QMP-60ERN-BN**

### FINISHES

<b>BK</b> - Black	<b>BN</b> - Brushed Nickel	<b>CH</b> - Chrome	<b>DB</b> - Dark Bronze	<b>MR</b> - Mirror	<b>PT</b> - Platinum	<b>WT</b> - White
						

WAC Lighting  
www.waclighting.com  
Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center  
615 South Street • Garden City, NY 11530  
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center  
1750 Archibald Avenue • Ontario, CA 91760  
Phone (800) 526.2588 • Fax (800) 526.2585