# MINI BRITTANY- model: G533


# **WAC LIGHTING**

# **European Collection Glass Pendant**

## Responsible Lighting®







Fixture Type:	
Catalog Number:	
Project:	
Location:	

#### **PRODUCT DESCRIPTION**

Skillfully crafted in a stunning glass art form, Mini Brittany's layers of classic Italian opaline glass blossom into a dramatic opalescent flower in this diminutive profile. Gorgeous hues of amber, gold and milky blue come alive, defining depth and details when illuminated.

#### **FEATURES**

- LED, Low Voltage and Line Voltage options available
- Can be used on canopies, all Quick Connect™ systems and line voltage rail and track systems
- All socket sets include 72" wire that may be cut in the field
- · 5 year WAC Lighting product warranty
- · UL & CUL Listed

#### CONSTRUCTION

- · Shade: Opaline art glass
- LED Socket Set: Aluminum w/acrylic diffuser
- Low and Line Voltage Socket Set: Machined aluminum w/frosted glass shield
- MP Canopy: Steel
- Adapters Solorail™, Duorail™: Copper
- Adapters 120V Track, Flexrail1: Polycarbonate

#### **COMPATIBLE SYSTEMS**

#### Canopy (MP)

LED or Low Voltage halogen lamp options

#### Includes:

- Shade
- Quick Adjust™ Canopy (shown)
- Socket Set
- Lamp

The patent pending Quick Adjust™ Canopy has an adjustable cable that stores inside the canopy housing for easy in-field height adjustments.

Sold as a complete unit with a single Order Number, no adapters needed.

#### Quick Connect™ (QP)

LED or Low Voltage halogen lamp options

#### Includes:

- Shade
- Threaded Male Connector (shown)
- Socket Set
- Lamp

For use on 120V Track, Solorail™, Duorail™, and Flexrail1™ with proper Quick Connect™ adapter (sold separately).

garen connect adapter (sold separately).

Can also be used on any Quick Connect™ Canopy (sold separately) no adapter needed.

Threaded Male Connector easily joins with all Quick Connect™ Adapters and Canopies.

#### **Line Voltage Rail and Track**

Line Voltage xenon lamp

#### Includes:

- Shade
- Adapter to Rail or Track
- Socket Set
- Lamp

For use with 120V H, L and J single circuit track and J2 two circuit track systems and Flexrail1™ rail systems.

Sold as a complete unit with a single Order Number, adapter included.

For Lamp Specifications and Ordering Information see next page.

**WAC Lighting** 

www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585 **Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

Western Distribution Center

1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

## MINI BRITTANY- model: G533

# WAC LIGHTING

## Responsible Lighting®

# **European Collection Glass Pendant**

#### **SOCKET SET and LAMP INFORMATION**

#### **LEDme®**

LED: 12V/4W, 330 lumens, 3000K, CRI 85 (included)

- May be dimmed w/electronic low voltage (ELV) dimmer
- Threaded ring used to secure shade to socket
- 30,000 hour rated life
- Energy efficient
- No projected Ultraviolet or Infrared radiation

### Low Voltage


Lamp: 12V/50W max, halogen JC-50 (included)


- May be dimmed
- · Lamp shield secures shade to socket
- Includes 12V, 50W halogen bi-pin
- 20W and 35W lamps available (order separately)


#### **Line Voltage**

Lamp: 120V/50W max, xenon JCD-50X (included)

- · May be dimmed
- Lamp shield used to secure shade to socket
- Includes 120V, 50W halogen lamp







#### ORDER NUMBER

<b>LEDme</b> ®			Shade	
System		Model #		Finish
MP-LED QP-LED	Canopy Quick Connect™	533	ОР	BN CH DB

Low \	oltage/		Shade	
Syste	m	Model #	Color	Finish
MP- QP	Canopy Quick Connect™	533	OP	BN CH DB

Canopy (MP) models ordered as complete unit.

Quick Connect™ (QP) models must be ordered with an adapter or canopy, see next page for ordering info.

Line	VO	ta	ge	
			_	

			Shade	
System		Model #	Color	Finish
HM1-	Flexrail1™	533	OP	DB
				PT
LTK-	L Track	533	OP	BN
HTK-	H Track			DB
JTK-	J/J2 Track			

All Line Voltage models ordered as complete unit, adapter included.

System	Model #	Color	Finish
	533	- OP	/

Example: MP-LED533-OP/BN

#### **SHADE COLORS**

**OP**-Opaline



#### **FINISHES**

**BN** - Brushed Nickel







PT - Platinum

WAC Lighting
www.waclighting.com
Phone (800) 526.2588 • Fax (800) 526.2585

**Headquarters/Eastern Distribution Center**44 Harbor Park Drive • Port Washington, NY 11050
Phone (516) 515.5000 • Fax (516) 515.5050

**Western Distribution Center** 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585

# MINI BRITTANY- model: G533

# WAC LIGHTING

# Quick Connect™ Adapters and Canopies

# Responsible Lighting®

#### **QUICK CONNECT™ ADAPTERS** (order one per fixture)


Solorail™	Model #	Finish
U	LM-QADP	BN CH DB

Duorail™	Model #	Finish
	LM2-QADP	BN CH DB

# Flexrail1™ HM1-EN50 DB PT



#### **ORDER NUMBER**



Example: LM-QADP-BN

#### QUICK CONNECT™ CANOPIES with INTEGRAL DRIVER



Model #	Finish
QMP-60ERN	BN
	CH
	DB



Model #	Finish
QMP-G1RN	MR





Model # Finish

QMP-G3RE MR


#### QUICK CONNECT™ CANOPIES for use with REMOTE TRANSFORMER







#### **ORDER NUMBER**



Example: QMP-60ERN-BN

#### **FINISHES**

BK - Black BN - Brushed Nickel











WAC Lighting www.waclighting.com Phone (800) 526.2588 • Fax (800) 526.2585

Headquarters/Eastern Distribution Center 44 Harbor Park Drive • Port Washington, NY 11050 Phone (516) 515.5000 • Fax (516) 515.5050 Western Distribution Center 1750 Archibald Avenue • Ontario, CA 91760 Phone (800) 526.2588 • Fax (800) 526.2585