


CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

NODEL WS52-G512AM



Ordering Matrix			
Model Number	Shade Sconce Finishes		Finishes
WS52	G512AM	BN	СН

Ordering Example (model number-shade/ Sconce finishes): WS52-G512AM/BN

Prod	1104	Data	ı۱۵
Proc		Deta	ils

Description: Low voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with a plated Chrome or Brushed Nickel finish and a ceramic bi pin socket with screw-on etched bulb shield.

Mounting canopy includes an integral electronic transformer.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Lamping 12V 50w halogen bi-pin included.

Transformer: Integral Electronic Low Voltage Transformer. 120v/60hz input.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512AM

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- Dimmable with low voltage electronic dimmers.
- The screw-on bulb shield retains the glass shade and protects the lamp from dust and fingerprints.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- WAC electronic low voltage transformer includes auto reset, short and overload protection features. Transformer Soft Start delayed start feature extends lamp life by limiting abrupt inrush current to the lamp.
- 5 year WAC Lighting product warranty.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS52-G512AM


G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 1/2"× ¢ 4 3/4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"	The state of the s	G520 — ☐ ☐ Finishes: OE – Opal Etched 2 7/8"× € 5 1/2"	
G521 - □□□ Finishes: OE - Opal Etched 2 5/8"× ¢ 5 1/2"		G524 — ☐ ☐ Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 8 1/4 " x ⊄ 6 1/8"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 — Finishes: AM – Amber 5 3/4"× ¢ 4 1/8"	
G545 — □ □ Finishes: DIC – Dichroic 2 7/8"× \$\psi 4 7/8"		G546 — Finishes: DIC – Dichroic 3 7/8"× ¢ 4 1/3"	
G557 — Finishes: WT – White 4"× \$\psi 4 3/5"	Here.		



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS52-G512BL



Ordering Matrix			
Model Number	Shade	Sconce	Finishes
WS52	G512BL	BN	СН

Ordering Example (model number-shade/ Sconce finishes): WS52-G512BL/BN

Product Details

Description: Low voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with a plated Chrome or Brushed Nickel finish and a ceramic bi pin socket with screw-on etched bulb shield. Mounting canopy includes an integral electronic transformer.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Lamping 12V 50w halogen bi-pin included.

Transformer: Integral Electronic Low Voltage Transformer. 120v/60hz input.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512BL

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- Dimmable with low voltage electronic dimmers.
- The screw-on bulb shield retains the glass shade and protects the lamp from dust and fingerprints.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- WAC electronic low voltage transformer includes auto reset, short and overload protection features. Transformer Soft Start delayed start feature extends lamp life by limiting abrupt inrush current to the lamp.
- 5 year WAC Lighting product warranty.



CATALOG NUMBER	TYPE
PROJECT	

MODEL WS52-G512BL


G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 1/2"× ¢ 4 3/4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"	A any sales	G520 — Finishes: OE – Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — ☐ ☐ Finishes: OE – Opal Etched 2 5/8"× ⊄ 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 8 1/4 " x ¢6 1/8"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 — Finishes: AM – Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ⊄ 4 7/8"		G546 — ☐ ☐ Finishes: DIC – Dichroic 3 7/8"× ⊄ 4 1/3"	
G557 — ☐ ☐ Finishes: WT – White 4"× ⊄ 4 3/5"			



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS52-G512RD



Ordering Matrix			
Model Number	Shade	Sconce	Finishes
WS52	G512RD	BN	СН

Ordering Example (model number-shade/ Sconce finishes): WS52-G512RD/BN

Prod	uct	Detai	Is

Description: Low voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with a plated Chrome or Brushed Nickel finish and a ceramic bi pin socket with screw-on etched bulb shield. Mounting canopy includes an integral electronic transformer.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Lamping 12V 50w halogen bi-pin included.

Transformer: Integral Electronic Low Voltage Transformer. 120v/60hz input.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512RD

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- Dimmable with low voltage electronic dimmers.
- The screw-on bulb shield retains the glass shade and protects the lamp from dust and fingerprints.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- WAC electronic low voltage transformer includes auto reset, short and overload protection features. Transformer Soft Start delayed start feature extends lamp life by limiting abrupt inrush current to the lamp.
- 5 year WAC Lighting product warranty.



CATALOG NUMBER	TYPE
PROJECT	

MODEL WS52-G512RD

	<u></u>	<u></u>	_
G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 1/2"× ¢ 4 3/4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"	The second secon	G520 - □□ Finishes: OE - Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× ¢ 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 8 1/4 " x ¢ 6 1/8"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 - □ □ □ Finishes: AM - Amber 5 3/4"× ⊄ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× € 4 7/8"		G546 — Finishes: DIC – Dichroic 3 7/8"× ¢ 4 1/3"	
G557 — Finishes: WT – White 4"× ¢ 4 3/5"	Heff		





CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS52-G512WT







Ordering Matrix			
Model Number	Shade	Sconce	Finishes
WS52	G512WT	BN	СН

Ordering Example (model number-shade/ Sconce finishes): WS52-G512WT/BN

Prod	uct	Detai	ls

Description: Low voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with a plated Chrome or Brushed Nickel finish and a ceramic bi pin socket with screw-on etched bulb shield.

Mounting canopy includes an integral electronic transformer.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Lamping 12V 50w halogen bi-pin included.

Transformer: Integral Electronic Low Voltage Transformer. 120v/60hz input.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512WT

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- Dimmable with low voltage electronic dimmers.
- The screw-on bulb shield retains the glass shade and protects the lamp from dust and fingerprints.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- WAC electronic low voltage transformer includes auto reset, short and overload protection features. Transformer Soft Start delayed start feature extends lamp life by limiting abrupt inrush current to the lamp.
- 5 year WAC Lighting product warranty.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS52-G512WT

G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 1/2"× ¢ 4 3/4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× Ø 5 1/4"		G520 — ☐ ☐ Finishes: OE – Opal Etched 2 7/8"× ₡ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 8 1/4 " x ¢6 1/8"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 — Finishes: AM – Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ¢ 4 7/8"		G546 — ☐ ☐ Finishes: DIC – Dichroic 3 7/8"× ¢ 4 1/3"	
G557 — Finishes: WT – White 4"× ¢ 4 3/5"	FLIF		




	CATALOG NUMBER	<u>TYPE</u>
1	PROJECT	

DECORATIVE WALL SCONCE

MODEL WS56-G512AM / WS55-G512AM





rdering N	Matrix	<u> </u>		
	Model Number	Shade	Sconce	Finishes
WS55 WS56	WS56 WS55	G512AM	BN	СН

Ordering Example (model number – shade / sconce finishes): WS56-G512AM/BN

	Prod	uct	De	tai	S
--	------	-----	----	-----	---

Description: Line voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with plated Chrome or Brushed Nickel finish.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Shade mounts to the sconce arm and is secured with threaded

locking nut.

Lamping Use with candelabra style incandescent lamp. 120V 60watt max.

One 60w lamp included with canopy.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512AM

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- A complete wall sconce consists of the wall canopy and a shade.
- Center mounted vertical lamp configuration allows illumination of the whole glass shade.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- Use standard incandescent or electronic low voltage dimmer as required
- 5 year WAC Lighting product warranty.

WAC Lighting reserves the right to modify the design of our products as part of the company's continuous improvement program.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS56-G512AM / WS55-G512AM


G512 — ☐ ☐ Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — ☐ ☐ Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 7/8"× ⊄ 4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"		G520 - □□□ Finishes: OE - Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 5 1/2"× ¢ 4 1/2"	
G530 — ☐ ☐ Finishes: GR – Green MC – Multicolor 5 3/4"× ⊄ 4 1/8"		G540 — Finishes: AM – Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ¢ 4 7/8"		G546 - □ □ □ Finishes: DIC - Dichroic 3 7/8"× ¢ 4 1/3"	
G557 - D Finishes: WT - White 4"× & 4 3/5"	Here!		



CATALOG NUMBER	TYPE
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS56-G512BL / WS55-G512BL



Ordering N	Ordering Matrix					
Model Number		Shade Sconce Finishes		Finishes		
[
WS55 WS56	WS56 WS55	G512BL	BN	СН		

Ordering Example (model number - shade / sconce finishes): WS56-G512BL/BN

 $\textbf{Description:} \quad \text{Line voltage wall sconce with round finished metal front fascia.} \quad \text{The} \quad$

sconce is made of brass, with plated Chrome or Brushed Nickel finish.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Shade mounts to the sconce arm and is secured with threaded

locking nut.

Lamping Use with candelabra style incandescent lamp. 120V 60watt max.

One 60w lamp included with canopy.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512BL

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- A complete wall sconce consists of the wall canopy and a shade.
- Center mounted vertical lamp configuration allows illumination of the whole glass shade.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- Use standard incandescent or electronic low voltage dimmer as required.
- 5 year WAC Lighting product warranty.

WAC Lighting reserves the right to modify the design of our products as part of the company's continuous improvement program.



CATALOG NUMBER	TYPE
PROJECT	

MODEL WS56-G512BL / WS55-G512BL


G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 7/8"× ¢ 4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"		G520 — ☐ ☐ Finishes: OE – Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 5 1/2"× ¢ 4 1/2"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 - □ □ □ Finishes: AM - Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ⊄ 4 7/8"		G546 — ☐ ☐ Finishes: DIC – Dichroic 3 7/8"× ⊄ 4 1/3"	
G557 — □ □ Finishes: WT – White 4"× ⊄ 4 3/5"	Heff		




CATALOG NUMBER	TYPE
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS56-G512GR / WS55-G512GR





Ordering Matrix					
Model Number		Shade	Sconce Finishes		
WS55 WS56	WS56 WS55	G512GR	BN	СН	

Ordering Example (model number - shade / sconce finishes): WS56-G512GR/CH

P	Т	od	u	ct	•)e	ta	П	F

Description: Line voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with plated Chrome or Brushed Nickel finish. \\

Mounting: Surface mounted. Installs to a standard 4" junction box.

Shade mounts to the sconce arm and is secured with threaded

locking nut.

Lamping Use with candelabra style incandescent lamp. 120V 60watt max.

One 60w lamp included with canopy.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512GR

The colorful designer look of hand blown, cased glass etched in an

assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- A complete wall sconce consists of the wall canopy and a shade.
- Center mounted vertical lamp configuration allows illumination of the whole glass shade.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- Use standard incandescent or electronic low voltage dimmer as required.
- 5 year WAC Lighting product warranty.

WAC Lighting reserves the right to modify the design of our products as part of the company's continuous improvement program.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS56-G512GR / WS55-G512GR

G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 7/8"× ¢ 4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"		G520 — ☐ ☐ Finishes: OE – Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 5 1/2"× ¢ 4 1/2"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 - □ □ □ Finishes: AM - Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ⊄ 4 7/8"		G546 — ☐ ☐ Finishes: DIC – Dichroic 3 7/8"× ⊄ 4 1/3"	
G557 — □ □ Finishes: WT – White 4"× ⊄ 4 3/5"	Heff		




CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS56-G512RD / WS55-G512RD





Ordering	Ordering Matrix					
Model Number		Shade Sconce Finishes		Finishes		
WS55 WS56	WS56 WS55	G512RD	BN	СН		

Ordering Example (model number - shade / sconce finishes): WS56-G512RD/BN

Prod	luct L	etaii	Ę

Description: Line voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with plated Chrome or Brushed Nickel finish.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Shade mounts to the sconce arm and is secured with threaded

locking nut.

Lamping Use with candelabra style incandescent lamp. 120V 60watt max.

One 60w lamp included with canopy.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512RD

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- A complete wall sconce consists of the wall canopy and a shade.
- Center mounted vertical lamp configuration allows illumination of the whole glass shade.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- Use standard incandescent or electronic low voltage dimmer as required.
- 5 year WAC Lighting product warranty.

WAC Lighting reserves the right to modify the design of our products as part of the company's continuous improvement program.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS56-G512RD / WS55-G512RD

G512 — ☐ ☐ Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ₡ 5 1/4"		G515 — ☐ ☐ Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 7/8"×⊄4"	
G518 — Finishes: DIC – Dichroic 2 7/8"× ¢ 5 1/4"		G520 — Finishes: OE – Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 5 1/2"× ¢ 4 1/2"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 — ☐ ☐ Finishes: AM – Amber 5 3/4"× ⊄ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× € 4 7/8"		G546 — ☐ ☐ Finishes: DIC – Dichroic 3 7/8"× € 4 1/3"	
G557 — Finishes: WT – White 4"× ¢ 4 3/5"	HLJE		




CATALOG NUMBER	<u>TYPE</u>
PROJECT	

DECORATIVE WALL SCONCE

MODEL WS56-G512WT / WS55-G512WT





Ordering N	Matrix			_
	Model Number	Shade	Sconce	Finishes
[
WS55 WS56	WS56 WS55	G512WT	BN	СН

Ordering Example (model number - shade / sconce finishes): WS56-G512WT/BN

	Prod	uct	Detai	1
--	------	-----	-------	---

Description: Line voltage wall sconce with round finished metal front fascia. The

sconce is made of brass, with plated Chrome or Brushed Nickel finish.

Mounting: Surface mounted. Installs to a standard 4" junction box.

Shade mounts to the sconce arm and is secured with threaded

locking nut.

Lamping Use with candelabra style incandescent lamp. 120V 60watt max.

One 60w lamp included with canopy.

Sconce CH = Chrome

Finish: BN = Brushed Nickel

Shade: Jill – G512WT

The colorful designer look of hand blown, cased glass pendants

etched in an assortment of candy colors.

Listing: UL & CUL Listed.

Specification Features

- A complete wall sconce consists of the wall canopy and a shade.
- Center mounted vertical lamp configuration allows illumination of the whole glass shade.
- The wall sconce is available in multiple standard glass shade styles and multiple color options
- Use standard incandescent or electronic low voltage dimmer as required.
- 5 year WAC Lighting product warranty.

WAC Lighting reserves the right to modify the design of our products as part of the company's continuous improvement program.



CATALOG NUMBER	<u>TYPE</u>
PROJECT	

MODEL WS56-G512WT / WS55-G512WT

G512 — Finishes: AM – Amber BL – Blue RD – Red WT – White GR – Green 2 5/8"× ¢ 5 1/4"		G515 — Finishes: BW – Blue/White MF – Milliefiore AM – Amber 5 7/8"× ¢ 4"	
G518 - DDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDDD		G520 — ☐ ☐ Finishes: OE – Opal Etched 2 7/8"× ¢ 5 1/2"	
G521 — Finishes: OE – Opal Etched 2 5/8"× Ø 5 1/2"		G524 — Finishes: AM – Amber LB – Light Blue TQ – Turquuoise WT - White 5 1/2"× ¢ 4 1/2"	
G530 — Finishes: GR – Green MC – Multicolor 5 3/4"× ¢ 4 1/8"		G540 — Finishes: AM – Amber 5 3/4"× ¢ 4 1/8"	
G545 — ☐ ☐ Finishes: DIC – Dichroic 2 7/8"× ₡ 4 7/8"		G546 - □ □ Finishes: DIC - Dichroic 3 7/8"× ¢ 4 1/3"	
G557 - □ □ Finishes: WT - White 4"× ⊄ 4 3/5"	FLIF.		